

- 1 **Unique Identification code of the product's type:**
TOPCOLOR PROTEX Silicone
- 2 **Number of the type, batch or series or any other element, which helps to identify the construction product and its place of manufacture:**
The batch number is indicated on each package
- 3 **Technical specification applicable to the construction product:**
Aqueous dispersion structural plaster
- 4 **Usage purpose of the construction product indicated by the manufacturer or purposes according to the applicable technical specification:**
To finish plastered, concrete, asbestos cement, silicate concrete, ceramsite concrete, silicate and ceramic bricks surfaces inside and outside of the buildings



- 5 **Manufacturer's name, registered commercial name or registered trademark and address:**
UAB „TOPCOLOR“ Neries krantinė 16, Kaunas 48402
- 6 **System of assessment and inspection of consistency of performance characteristics of the construction product, as specified in the Section IV of this Regulation:**
System 3
- 7 **Name of the assigned institution:**
The accredited testing laboratory (Composite and Finishing Materials Laboratory of the Institute of Architecture and Construction of Kaunas University of Technology) has tested water vapour permeability, water permeability and adhesive strength and issued the testing protocol No. 10/153.
The accredited testing institution Fire Research Centre of the Fire and Rescue Department under the Ministry of the Interior of the Republic of Lithuania has tested and assessed reaction to fire and issued the classification report No. 20-19.2013.24.

8 **Declared performance characteristics**

ESSENTIAL CHARACTERISTICS	PERFORMANCE CHARACTERISTICS	REFERENCE TO THE STANDARD
Water permeability	Lowest class W3	LST EN 1062-3:2008
Water vapour permeability	Highest class V1	LST EN ISO 7783:2012
Adhesive strength, MPa	<0.3	LST EN 1542:2002
Reaction to fire	Euroclass B	LST EN 13501-1

The performance characteristics of the product indicated in the clauses 1 and 2 correspond to the performance characteristics declared in the clause 8.

This declaration of performance characteristics is issued under the sole responsibility of the manufacturer indicated in the clause 5.

**UAB „TOPCOLOR“
Technologist
Kaunas 30 Jul 2019**

Paulina Brazdaitis